## Dr. Mark Gardner Physical Therapy Protocol UPMC Parkside Orthopedics ACL Reconstruction with Meniscus Repair

## POST-OP DAYS 1 - 14 ☐ Dressing: - POD 1: Debulk dressing, TED Hose in place - POD 2: Change dressing, keep wound covered, continue TED Hose - POD 7-10: Sutures out, D/C TED Hose when effusion resolved ☐ Brace x 6 weeks – Locked in extension for ambulation ☐ Crutches - Partial weight bearing (PWB) in brace ☐ Patellar mobilization (teach patient) □ Calf pumping □ AAROM 0-90 degrees (passive extension, heel slides with towel assist) ☐ Passive extension with heel on bolster or prone hangs ☐ No active Hamstring exercises Electrical stimulation in full extension with quad sets and SLR Quad sets ☐ Straight leg raise (SLR) x 4 on mat (in brace if poor quad control) ☐ Stationary bike for range of motion 0-90 degrees ☐ Ice pack with knee in full extension after exercise **GOALS** ☐ Full passive extension ☐ Flexion to 90 degrees □ Good quad control Weeks 2 - 4 ☐ Brace x 6 weeks - Open to 0-90 degrees ☐ Crutches – PWB in brace ☐ Continue appropriate previous exercises □ Scar massage when incision healed ☐ PROM, AAROM 0-90 degrees only □ No active Hamstring exercises ☐ Co-contractions quads / HS □ SLR x 4 on mat - Add light ankle weights if quad control is maintained ☐ Double leg heel raises ☐ Stretches – HS, AT, Hip Flexors, ITB **GOALS** ☐ Pain/effusion control □ No extensor lag **WEEKS 4 - 6** ☐ Brace x 6 weeks - Open to 0-90 degrees □ Crutches – PWB in brace ☐ Continue appropriate previous exercises

| □ AAROM, AROM 0-90 degrees only                                               |
|-------------------------------------------------------------------------------|
| □ Weight shifts                                                               |
| □ Mini squats 0-45 degrees – In parallel bars                                 |
| □ Total Gym (level 3-5) – Mini squats 0-45 degrees                            |
| - Passive flexion to 90 degrees (push up with opposite leg)                   |
| ☐ Leg press 0-45 degrees with light resistance (up to ¼ body weight)          |
| ☐ Hamstring curls 0-45 degrees — Carpet drags or rolling stool (closed chain) |
| ☐ Stationary bike with seat high for ROM — Complete cycle as able             |
| GOALS                                                                         |
| □ ROM 0-90 degrees                                                            |
| □ No effusion                                                                 |
| WEEKS 6 - 9                                                                   |
| □ D/C Brace                                                                   |
| ☐ Crutches – weight bearing as tolerated (WBAT), D/C when gait is WNL         |
| ☐ Continue appropriate previous exercises                                     |
| ☐ PROM, AAROM, AROM – Gradually increase motion through full range            |
| ☐ Standing SLR x 4 with light Theraband bilaterally                           |
| □ Wall squats 0-45 degrees                                                    |
| ☐ Leg press 0-60 degrees with light resistance (up to ½ body weight)          |
| ☐ Hamstring curls 0-60 degrees — Carpet drags or rolling stool (closed chain) |
| ☐ Forward, lateral and retro step downs in parallel bars                      |
| No knee flexion past 45 degrees (small step)                                  |
| ☐ Single leg heel raises                                                      |
| 3                                                                             |
| ☐ Proprioceptive training – Single leg standing in parallel bars              |
| <ul> <li>Double leg BAPS for weight shift</li> </ul>                          |
| □ Treadmill – Forwards and backwards walking                                  |
| ☐ Stationary bike – Progressive resistance and time                           |
| □ Pool – Walking / running (no kicking)                                       |
| GOALS                                                                         |
| □ Full ROM                                                                    |
| □ Normal gait                                                                 |
| WEEKS 9 - 12                                                                  |
| ☐ Continue appropriate previous exercises with progressive resistance         |
| □ Wall squats 0-90 degrees                                                    |
| ☐ Leg press 0-90 degrees with resistance as tolerated                         |
| ☐ Hamstring curls 0-90 degrees on weight machine with light resistance        |
| ☐ Forward, lateral and retro step downs (medium to large step)                |
| ☐ Hip weight machine x 4 bilaterally                                          |
| ☐ Proprioceptive training – Single leg BAPS, ball toss and body blade         |
| - Grid exercises                                                              |
| ☐ Fitter                                                                      |
| ☐ Slide board                                                                 |
| ☐ Treadmill – Walking progression program                                     |
| ☐ Elliptical trainer                                                          |
| ☐ Pool therapy – No swimming laps                                             |
| GOAL                                                                          |
| □ Walk 2 miles at 15 min/mile pace                                            |


| WON1H5 3 - 4                                                       |
|--------------------------------------------------------------------|
| ☐ Isokinetic testing at 180 and 300 degrees/sec                    |
| - Must have 80% of opposite leg to clear for straight line running |
| Continue appropriate previous exercises                            |
| □ No Squatting or Leg press > 90 degrees                           |
| ☐ Hamstring curls on weight machine through full range             |
| ☐ Knee extension weight machine                                    |
| ☐ Short arc quads                                                  |
| □ Functional activities – Figure 8s, gentle loops, large zigzags   |
| ☐ Stairmaster – Small steps                                        |
| 4                                                                  |
| Treadmill – Running progression program if cleared                 |
| © Pool therapy – Swimming laps                                     |
| GOAL                                                               |
| ☐ Run 2 miles at easy pace                                         |
| MONTHS 4 - 6                                                       |
| ☐ Repeat Isokinetic testing as needed                              |
| ☐ Continue appropriate previous exercises                          |
| ☐ Squatting and Leg press through full range as tolerated          |
| ☐ Agility drills / Plyometrics                                     |
| ☐ Sit-up progression                                               |
| ☐ Running progression to track                                     |
| □ Quad stretches                                                   |
| ☐ Transition to home / gym program                                 |
| GOAL                                                               |
| □ Return to all activities                                         |
|                                                                    |

\*NO CONTACT SPORTS UNTIL 6 MONTHS POST-OP\*


## **KNEE POST-OP PHASE I**

Perform exercises below frequently: 30 reps, 3 - 5x a day

**Quad Isometrics** 



**Heel Slides** 



**Active Assisted Motion** 



Ice Position 15 minutes 2-3 x per day

